

	Type	Hits	Search Text	DBs
1	BRS	50143	fluorescent near (lamp or bulb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	17049	(socket or base) and (fluorescent near (lamp or bulb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	21019	electric\$4 near (socket or base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	212532	electric\$4 with (socket or base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	10	electric\$4 with (socket or base) with (in or within) with (ballast near circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	4	(multi near chip) with (ballast near circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	0	(electric\$4 with (socket or base)) and ((multi near chip) with (ballast near circuit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	82	electric\$4 with (socket or base) with (ballast near circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	364211	electric\$4 with (socket or base or housing or (hollow near body))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	39	(electric\$4 with (socket or base or housing or (hollow near body))) and (circuit near board) and (thermal near epoxy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	50166	fluorescent near (lamp or bulb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	0	((electric\$4 with (socket or base or housing or (hollow near body))) and (circuit near board) and (thermal near epoxy)) and (fluorescent near (lamp or bulb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	170	(electric\$4 with (socket or base or housing or (hollow near body))) and (circuit near board) and (thermal near sink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	209	(electric\$4 with (socket or base or housing or (hollow near body))) and (circuit near board) and ((thermal near (sink or epoxy)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	2	((electric\$4 with (socket or base or housing or (hollow near body))) and (circuit near board) and ((thermal near (sink or epoxy)))) and (fluorescent near (lamp or bulb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	2105	361/720,760.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	3	361/720,760.ccls. and (fluorescent near (lamp or bulb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
18	BRS	2	361/720,760.ccls. and ((electric\$4 with (socket or base or housing or (hollow near body))) and (circuit near board) and (thermal near epoxy))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	427	361/720,760.ccls. and (electric\$4 with (socket or base or housing or (hollow near body)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	578	361/720.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	BRS	27	361/720.ccls. and ((thermal near (sink or epoxy)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	5	361/720.ccls. and (thermal near epoxy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	0	174/DIG32.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	IS&R	0	(174/DIG32).CCLS.	USPAT; USOCR
25	IS&R	0	("DIG0032").PN.	USPAT; USOCR
26	BRS	80	(electric\$4 with (socket or base or housing or (hollow near body))) and (thermal near epoxy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	BRS	474	(electric\$4 with (socket or base or housing or (hollow near body))) and (circuit near board) and (thermal near (sink or management))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	BRS	199	(electric\$4 with (socket or base or housing or (hollow near body))) and (circuit near board) and (thermal near (sink or management)) and epoxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	BRS	0	(electric\$4 with (socket or base or housing or (hollow near body))) and (circuit near board) and (thermal near (sink or management)) and epoxy and (fluorescent near (lamp or bulb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	BRS	3	(electric\$4 with (socket or base or housing or (hollow near body))) and (circuit near board) and (thermal near (sink or management)) and epoxy and bulb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	BRS	1428	315/58-63.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	190	315/58-63.ccls. and (fluorescent near (lamp or bulb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	1429	315/58-63.ccls. (fluorescent near (lamp or bulb)) and (circuit near board) and (thermal near epoxy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	7	315/58-63.ccls. and (fluorescent near (lamp or bulb)) and (circuit near board) and (compound or epoxy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
35	BRS	3	("3662381" "4463282" "4739222").PN.	USPAT
36	BRS	10	"5164635".URPN.	USPAT
37	BRS	3	("3662381" "4463282" "4739222").PN.	USPAT
38	BRS	4	("3987334" "4096450" "4459506" "4571526").PN.	USPAT
39	BRS	408	(circuit near board) with elements with (both near sides)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	847	(circuit near board) with components with (both near sides)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	BRS	1	((circuit near board) with elements with (both near sides)) and 315/58-63.ccls. and (fluorescent near (lamp or bulb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	BRS	5	("4503360" "5381073" "5545950" "5691598" "5961204").PN.	USPAT
43	BRS	0	"6492773".URPN.	USPAT
44	BRS	1	((circuit near board) with components with (both near sides)) and 315/58-63.ccls. and (fluorescent near (lamp or bulb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	BRS	0	(design near dependent near components) and (design near independent near components)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	0	((circuit near board) with (filter near inductor) with (resonant near inductor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	0	((circuit near board) same (filter near inductor) same (resonant near inductor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	BRS	715	(circuit near board) same filter same (resona\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	BRS	45	(circuit near board) same filter same resona\$5 same switch\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	3	(fluorescent near (lamp or bulb) and ((circuit near board) same filter same resona\$5 same switch\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	11	(circuit near board) and (filter near inductor) and (resonant near inductor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	BRS	7	361/720,760,736.ccls. and (fluorescent near (lamp or bulb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	BRS	687	361/720,760,736.ccls. and (electric\$4 with (socket or base or housing or (hollow near body)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
54	BRS	272	174/260.ccls. and (electric\$4 with (socket or base or housing or (hollow near body)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	BRS	2	174/260.ccls. and (fluorescent near (lamp or bulb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	BRS	7	439/620.ccls. and (fluorescent near (lamp or bulb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	IS&R	1	("6437502").PN.	USPAT; USOCR
58	IS&R	1	("6637915").PN.	USPAT; USOCR
59	IS&R	1	("6659616").PN.	USPAT; USOCR
60	IS&R	1	("5164635").PN.	USPAT; USOCR
61	BRS	4816	(circuit near board) with (heat near sink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	BRS	0	((circuit near board) with (heat near sink)) and (compact near fluorescent near lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	BRS	0	((circuit near board) with (heat near sink)) and (compact near fluorescent near bulb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	BRS	27	((circuit near board) with (heat near sink)) and (fluorescent near lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	BRS	0	"20020140368".URPN.	USPAT
66	BRS	0	"20020140368".URPN.	USPAT
67	BRS	5	("4809136" "5021295" "5119466" "5733823" "6426874").PN.	USPAT
68	BRS	0	"6633137".URPN.	USPAT
69	BRS	0	"6633137".URPN.	USPAT
70	BRS	0	((heat near sink) with on with (circuit near board)) and (fluorescent near lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	BRS	5	((heat near sink) with (circuit near board)) same (fluorescent near lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	BRS	0	((thermal near sink) with (circuit near board)) same (fluorescent near lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	BRS	27	((heat near sink) with (circuit near board)) and (fluorescent near lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
74	IS&R	1	("6492773").PN.	USPAT; USOCR
75	IS&R	13	((("6,459,215") or ("6,443,769") or ("6,064,155") or ("5,952,792") or ("5,703,440") or ("5,691,603") or ("5,653,527") or ("5,504,394") or ("5,485,057") or ("5,294,865") or ("5,128,590") or ("5,049,785") or ("5,030,890"))).PN.	USPAT; USOCR
76	BRS	2986	362/260,264,263,294,373.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
77	BRS	1570	compact near fluorescent near (lamp or bulb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
78	BRS	99	362/260,264,263,294,373.ccls. and (compact near fluorescent near (lamp or bulb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
79	BRS	30	313/318.01,318.11,318.12.ccls. and (compact near fluorescent near (lamp or bulb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
80	IS&R	1	("6637921").PN.	USPAT; USOCR
81	IS&R	15	((("6,459,215") or ("6,443,769") or ("6,064,155") or ("5,952,792") or ("5,703,440") or ("5,691,603") or ("5,653,527") or ("5,504,394") or ("5,485,057") or ("5,294,865") or ("5,128,590") or ("5,049,785") or ("5,030,890") or ("4,857,806") or ("4,644,226"))).PN.	USPAT; USOCR
82	BRS	321230	circuit near board	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
83	BRS	112	S2 and ((heat near sink) with (thermal near conductor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
84	BRS	106	S3 and @ad < "20021004"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
85	BRS	3287	electronic near ballast	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
86	BRS	37	S2 and (heat near sink) and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
87	IS&R	1	("6437502").PN.	USPAT; USOCR
88	IS&R	2	((("6437502") or ("6582269"))).PN.	USPAT; USOCR
89	IS&R	3	((("6437502") or ("6582269") or ("6494730"))).PN.	USPAT; USOCR
90	IS&R	4	((("6437502") or ("6582269") or ("6494730") or ("6492773"))).PN.	USPAT; USOCR
91	IS&R	5	((("6437502") or ("6582269") or ("6494730") or ("6492773") or ("6150761"))).PN.	USPAT; USOCR
92	IS&R	6	((("6437502") or ("6582269") or ("6494730") or ("6492773") or ("6150761") or ("5961204"))).PN.	USPAT; USOCR
93	IS&R	7	((("6437502") or ("6582269") or ("6494730") or ("6492773") or ("6150761") or ("5961204") or ("5545950"))).PN.	USPAT; USOCR
94	IS&R	8	((("6437502") or ("6582269") or ("6494730") or ("6492773") or ("6150761") or ("5961204") or ("5545950") or ("5955841"))).PN.	USPAT; USOCR

	Type	Hits	Search Text	DBs
95	IS&R	9	(("6437502") or ("6582269") or ("6494730") or ("6492773") or ("6150761") or ("5961204") or ("5545950") or ("5955841") or ("5703440")).PN.	USPAT; USOCR
96	IS&R	10	(("6437502") or ("6582269") or ("6494730") or ("6492773") or ("6150761") or ("5961204") or ("5545950") or ("5955841") or ("5703440") or ("4961027")).PN.	USPAT; USOCR
97	IS&R	10	(("6437502") or ("6582269") or ("6494730") or ("6492773") or ("6150761") or ("5961204") or ("5545950") or ("5955841") or ("5703440") or ("4961027")).PN.	USPAT; USOCR
98	IS&R	3	(("6091199") or ("5952792") or ("6388396")).PN.	USPAT; USOCR
99	BRS	4	("5154504" "5406176" "5668446" "6118230").PN.	USPAT
100	BRS	0	"6388396".URPN.	USPAT
101	BRS	0	"6388396".URPN.	USPAT
102	BRS	6	("2711382" "4738024" "5015803" "5307236" "5397917" "5629581").PN.	USPAT
103	BRS	0	"6091199".URPN.	USPAT
104	BRS	0	"6091199".URPN.	USPAT
105	BRS	9	("4119889" "4171503" "4480212" "4490649" "4675577" "4727295" "5306986" "5504394" "5723947").PN.	USPAT
106	BRS	1042750	(electronic near ballast) or (ballast near circuit board)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
107	BRS	1044615	(electronic near ballast) or (ballast near circuit board)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
108	BRS	1042513	ballast near circuit board	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
109	BRS	38	ballast near circuit near board	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
110	BRS	7	S29 and (heat near sink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
111	BRS	10	S29 and ((heat or thermal) with (sink or dissipat\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
112	IS&R	1	(("6437502")).PN.	USPAT
113	IS&R	1	(("6437502")).PN.	USPAT
114	IS&R	1	(("4739222")).PN.	USPAT
115	IS&R	1	(("6437502")).PN.	USPAT
116	IS&R	2	(("11025751")).PN.	JPO; DERWENT

	Type	Hits	Search Text	DBs
117	BRS	3106	362/260,264,363,294,373.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
118	BRS	2030	(313/58,59,60,61,49- 51,318.01,318.11,318.12).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
119	BRS	1205	439/620.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
120	BRS	2934	361/720,760,736.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
121	BRS	1771	174/260.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
122	BRS	10579	S117 or S118 or S119 or S120 or S121	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
123	BRS	18325	(socket or base) and (fluorescent near (lamp or bulb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
124	BRS	586	S122 and S123	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
125	BRS	2	S124 and ((thermal near (sink or epoxy)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
126	BRS	275	S124 and circuit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB